










Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

V12.40 Sollevamento Hoisting Levage Heben Elevaciòn Elevaçao	m/min							V15.45 11 kW (15 Hp) 20 kVA 
		4	15	30	55			
	t	2.5	2.5	1.0	0.6			
	m/min							
2		7.5	15	27.5				
t	5.0	5.0	2.0	1.2				

Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuiçao			1a	0 → 44	m/min	5,5 kW
			2a			
			3a			
			1a	0 → 17	m/min	5,5 kW
			2a			
			3a			

Rotazione Slewing Orientation Schwenken Orientaciòn Rotaçao			1a	0 → 0.7	giri/min tr/min rp/min	3,7 kW
			2a			
			3a			

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Alimentação	400V – 50 Hz
Potenza elettrica necessaria – Puissance électrique nécessaire Necessary electric power – Anschlusswert – Potencia electrica necesaria	V15.45 – 24kVA
Conforme alla direttiva 2000/14/CE sul livello acustico Conforme à la directive 2000/14/CE sur le niveau acoustique In compliance with the 2000/14/CE instruction on noise level Gemäss EWG-Richtlinie 2000/14/CE über Schall-Leistungspegel Conforme con la directiva 2000/14/CE sobre el nivel acustico	FEM 1.001-A3